



**YONG XING**

深圳市永兴运动器材有限公司

**ALEX**

曾文兴

G. MANAGER

YONG XING Limited  
YONG XING Sports Limited  
YONG XING International Limited

✉ alex@yongxingalex.com  
yongxingalex@188.com  
☎ +86-755-8172 5288  
☎ +86-755-2989 0707  
☎ +86 136 0043 5476

👤 YongXingAlex  
306819715

🌐 www.yongxingalex.com

📍 No.4 Industrial Zone, Jiangshi Xinwei, Gongming Town,  
Guangming District, Shenzhen City, China  
广东省深圳市宝安区公明镇石岗新伟工业区第四工业园  
RC: 518 136



E-NAME CARD

# ELECTRIC PRODUCTS



# E-PRODUCTS



## TABLE OF CONTENTS

|                                                                                   |                        |    |
|-----------------------------------------------------------------------------------|------------------------|----|
|  | <i>E - SCOOTER</i>     | 02 |
|  | <i>E - SKATEBOARD</i>  | 19 |
|  | <i>E - HOVERBOARD</i>  | 28 |
|  | <i>E - HOVER SHOES</i> | 39 |
|  | <i>E - HELMET</i>      | 40 |
|  | <i>E - SUITCASE</i>    | 46 |
|  | <i>E - BIKE</i>        | 48 |





## STREET RUNNER

### Specifications

- Aluminium Alloy Frame Material
- Motor Power: 250W 24V, Brushless
- Wheel Size: 6.0 inch front, 5.5inch solid back
- Deck size: 665\*115mm
- Battery: 14 Cells Chinese Battery 4.0Ah, 18650
- Max Load: 90kg
- Range: 8-12km
- Electric Brake & Rear Brake
- Max Speed: 23km/h
- Charge Time: 1.5-2hours
- Waterproof Grade: IP54
- Working Temp: -10-50 Degree
- Max Climbing Limit: 20°
- Charger: 100V-240V 50Hz/60Hz,
- 29.4V 1.5A Output
- Open Size: 90\*42\*(76-97)/
- 81\*42\*29cm
- Carton Size: 88.5\*22.5\*33.5cm
- N.W./G.W.: 7.5kg/10.1kg
- 20GP/40HQ: 380/920pcs

COLORS   



FOLDABLE SCOOTERS



## YX-ES1





## FOLDABLE SCOOTERS



# STREET RUNNER

## Specifications

|                           |                                |
|---------------------------|--------------------------------|
| • Product Size            | 950*1050*400mm                 |
| • Net Weight              | 9.15KG                         |
| • Deck size               | 530*130mm                      |
| • Fold size               | 330*940*430mm                  |
| • Model No.               | YX-EH6                         |
| • Carton Size             | 955*225*410mm                  |
| • Gross Weight            | 12.35KG                        |
| • Certificates            | CE,ROHS,FCC                    |
| • Applicable Age          | 16-50 years old                |
| • Suitable Heights        | 130-200cm                      |
| • Maximum Load            | 120KG                          |
| • Load Qty                | 206P 340pcs 40HQ 740pcs        |
| • Maximum Speed           | 25KM/H                         |
| • Typical Endurance       | 10km-22km(real data by tester) |
| • Maximum Gradability     | 20 Degrees                     |
| • Working Temperature     | 0-40°C                         |
| • Storage Temperature     | -10°C to 45°C                  |
| • Integrated frame        | Aluminum alloy                 |
| • LED Light               | Front light+back light         |
| • APP                     | lingdong                       |
| • Rear Suspension         | yes                            |
| • Shell                   | Aluminum alloy                 |
| • Tyre size               | 6.5inch tire                   |
| • Battery Nominal Voltage | 36V                            |
| • Battery Input Voltage   | 42V                            |
| • Battery Capacity        | 4ah/6ah/7.5ah                  |
| • Motor Power             | 350W                           |
| • Charger Rated Power     | 80W                            |
| • Charger Output Voltage  | 42V                            |
| • Charger                 | UL charger                     |
| • Charger Certification   | CE--LVD                        |
| • Charger Input Voltage   | 90-240V                        |
| • Charger Rated Current   | 1.5A                           |
| • Charging Time           | About 3H                       |

COLORS  

YX-EH6





## STREET RUNNER

### Specifications

|                                        |                                     |
|----------------------------------------|-------------------------------------|
| Material                               | Aluminum body + some plastic covers |
| Color                                  | Optional                            |
| Deck size                              | 140x690mm                           |
| Maximum distance                       | 8.2km                               |
| Product dimensions                     |                                     |
| Folded                                 | 970*420*245mm                       |
| Unfolded                               | 970*420*1060mm                      |
| Load Qty                               | 20GP/360PCS 40HQ/1100PCS            |
| Product weight                         | Approx 10kg                         |
| Type of battery                        | Rechargeable lithium-ion battery    |
| Battery spec.                          | 25.2V/4.0Ah (14 cells)              |
| Motor rated power                      | 180W                                |
| Motor maximum power                    | 270W                                |
| Supported maximum weight               | 100kg                               |
| Supported minimum weight               | 20kg                                |
| Maximum speed (based on 70kg)          | 18-24km/h                           |
| Maximum climbing angle (based on 50kg) | Approx 12°                          |
| Height of the base of the deck         | 100mm                               |
| Tire size                              | 6.5 inch                            |
| Charging                               |                                     |
| Input                                  | 100-240V, 50Hz / 60Hz (universal)   |
| Output                                 | 29 4V/1A                            |
| Charging time                          | About 4.5 hours                     |
| Temperature Information                |                                     |
| Storage temperature                    | 0°C -40°C                           |
| Charging temperature                   | 0°C -45°C                           |
| Working temperature                    | -20°C -C60°C                        |

3 options for wheels :5inch 6.5inch and 8inch



### FEATURES

- LCD display
- 80W brushless motor
- 6.5-inch solid tires
- China 18650 battery x 14 pcs
- Front electrical brake
- Shock absorber with front fork

## YX-EZ006

COLORS ●

FOLDABLE SCOOTERS


**STREET RUNNER**

## Specifications

- Deck size 153x690mm
- Maximum distance 11km
- Motor rated power 250W
- Motor maximum power 400W
- Torque value 16N/m
- Type of battery Rechargeable lithium-ion battery
- Battery Specifications 36V/4.0AH (20 cells), 2.5 hours /4 hours/6.5 hours
- Charging time 6.0AH (30 cells), 7.8AH (30 cells)
- Supported maximum weight 100kg
- Suspension Front fork spring suspension
- Maximum Speed 23-25km/h (based on 70kg)
- Maximum Distance About 10km/15km /20km (Per full charge)
- Wheel type 8" front (non-pneumatic tire) and 8" rear (motor)
- Brake Method Rear electrical brake
- Product size 1000\*450\*1190mm
- Fold size 1000\*450\*450
- Carton size 1040\*165\*495mm
- Load Qty: 206P/300 40HQ/720

COLORS ●

FOLDABLE SCOOTERS


 Also Available:  
Germany version

(New Germany regulation)







## STREET RUNNER

### Specifications

- Material: Nylon+Iron
- Deck Size: 67.5cm in 14cm Thickness
- Wheel size: 6.5inch
- Maximum distance: 8km
- Ground Clearance: 9cm
- Motor Power: 250W
- Battery: 36V 4.0Ah Chinese Lithium Battery
- Max Load: 100kg
- Range: 15-25km
- EABS Brake
- Max Speed: 18km/h
- Charging Time: 2-4h
- Max Climbing Limit: 15°
- Charger: 42V
- Product Size: 96\*39\*10.4cm
- Carton Size: 101\*16\*44.5cm
- N.W./G.W.: 10.5kg/12.1kg
- 20GP/40HQ: 360/920pcs

COLORS   



FOLDABLE SCOOTERS



## YX-ES5


**STREET RUNNER**

## Specifications

- Aluminium Alloy Frame Material
- Deck Size: 63cm in 15cm Thickness
- Wheel size: 6.5inch
- Maximum distance: 8-10km
- Ground Clearance: 8cm
- Motor Power: 350W
- Battery: 36V, 6Ah lithium battery
- Max Load: 100kg
- Range: 10-20km
- Rear Electronic Brake System & Mechanical brake
- Max Speed: 24-32km/h
- Charging Time: 2-3h
- Max Climbing Limit: 20°
- Charger: 42V, 2A
- Product Size: 110\*43\*25/102\*43\*106cm
- Carton Size: 115\*21\*33cm
- N.W./G.W.: 13.31kg/14.31kg
- 20GP/40HQ: 330/830pcs

 COLORS ● ● ●

FOLDABLE SCOOTERS







## STREET RUNNER

### Specifications

- Material: Aluminium Alloy Frame
- Deck size: 741.6\*135mm
- Motor Power: 250W motor
- Wheel Size: 8.5 inch air wheels front (motor)
- +8.5 inch air tyre back
- Battery: 20 Cells 36V 4.0Ah Chinese Battery
- Max Load: 120kg
- Range: 15-20km
- Max Speed: 23km/h
- Charging Time: 2-3h
- Max Climbing Limit: 20°
- Charger: 42V, 2A
- Dis Brake + Electric Brake
- LED display + LED Front light + Bell
- Package: Color Box
- Open Size: 110\*42" (43-112)cm
- Carton Size: 122\*22\*42cm
- N.W./G.W.: 12kg/14.6kg
- 20GP/40HQ: 230/580pcs



Also Available:  
Germany version

(New Germany regulation)



FOLDABLE SCOOTERS



COLORS

## YX-ES7


**STREET RUNNER**

## Specifications

- DC 42V/250W Motor
- 36v 4A-7.8Ah Battery
- Aviation Aluminum Profile Material
- Controller: Brushless controller
- Tire size: 8.5Inch
- Range if Tires: pneumatic tyre
- Brake form :electronic brake, disc brake
- Range per Charge: 15km
- Max Speed: 20-25km/h
- Max Load: 120kg
- Max Climbing Limit: 15°
- Charging Time: 3h
- Charge Voltage :110V-240V 50-60Hz
- Deck Size: 45.7cm in 1.2cm Thickness
- 13.3cm Ground Clearance
- Product Size: 105\*44\*115cm
- Carton Size: 112\*16\*52cm
- N.W./G.W.: 12.5kg/14.1kg
- Load qty: 206P/308PCS 40HQ/718PCS

COLORS ●



FOLDABLE SCOOTERS







### STREET RUNNER



FOLDABLE SCOOTERS



8inch  
Wheel

COLORS ●



#### YX-07S-8inch

Rated Power:250W  
Weight: 10.5KG  
Max Speed: 20KM/H  
Max Mileage:12-18KM/H  
Charging Time:3-4H  
Motor: Brushless Motor  
Outer Carton Size:1190\*185\*432  
Rated Voltage:36V  
Wheel Size(Motor):5.5 Inch  
Battery Capacity:4Ah/5.2Ah  
Brake Mode: EABS  
Max Load:120KG  
Drive Mode: Back Drive  
Container Qty: 340pcs/  
20'GP 710pcs/40'HQ



6inch  
Wheel



#### YX-07S-6inch

Rated Power:250W  
Weight: 9.8KG  
Max Speed: 25KM/H  
Max Mileage:12-15KM/H  
Charging Time:3-4H  
Motor: Brushless Motor  
Outer Carton Size:1140\*240\*400  
Rated Voltage:36V  
Wheel Size(Motor):6.5 Inch  
Battery Capacity:7.8Ah  
Brake Mode: EABS  
Max Load:120KG  
Drive Mode: Front Drive  
Container Qty: 300pcs/  
20'GP 690pcs/40'HQ



5.5inch  
Wheel



#### YX-07S-5.5inch

Rated Power:250W  
Weight: 10.5KG  
Max Speed: 20KM/H  
Max Mileage:12-18KM/H  
Charging Time:3-4H  
Motor: Brushless Motor  
Outer Carton Size:1190\*185\*432  
Rated Voltage:36V  
Wheel Size(Motor):5.5 Inch  
Battery Capacity:4Ah/5.2Ah  
Brake Mode: EABS  
Max Load:120KG  
Drive Mode: Back Drive  
Container Qty: 340pcs/  
20'GP 710pcs/40'HQ



## YX-07S



**Certification**



**STREET RUNNER**

## Specifications

- Deck size: 720.3\*155mm
- 7.5Ah Chinese Battery, 30cells, 36V
- Maximum Speed: About 23km/h
- Color Option: Black
- Major Materials:
- Steel + Glass fiber&Wood+ aluminium
- Brake: Rear Electronic brake + physical brake
- Options: Headlight and LCD display
- Mileage reference: 7.5AH:19km-23km.
- Foot Platform Height: 130mm
- Tire Size: 8inch ininflable tyre front
- +8inch solid tyre back(motor)
- Speed mode: 3 modes
- Motor Power(Back tires) 36V/250W brushless
- Charge Time: About 150min
- Safe Climbing Angle: About 20°
- Suitable Rider Height 1.5m-2.0m
- Temperature: -10°C-40°C best at 20-30°C
- Max Load: 120kg
- Voltage: AC 220V / AC 110V / AC 100V-240V 50-60Hz
- Unfolding size: 1090\*450\*1150mm
- Folding size: 1100\*470\*470mm
- Carton Size: 1125\*225\*535mm
- N.W. 10kg/ G.W. 12.6kg

COLORS ●

**YX-S10**





## STREET RUNNER

### Material & Size

Board color: custom made

Board material: Aluminium alloy

### Quality

Self weight: 9kg

Bearing capacity (kg): 100KG

### Overall parameter

Riding speed (km/h): 15km/h

Top speed (km/h): 20km/h

Cruising range (km/h): 8~12km

Maximum climbing angle: 15°

Applicable terrain: hardened concrete pavement, flat asphalt pavement"

### Motor (wheel) parameters

Rated power (W): 300W

Rated voltage (V): 24V

Rated current (A): 6.5A

Motor wheel size: 6.5

Maximum torque: 2N.M

Ambient temperature: -20 +60

Auxiliary wheel size: 6.5

### Battery pack parameters

Battery brand: 7S2P

Battery capacity (mAh): 5Ah

Rated voltage (V): 24V

Charging input voltage (V): 29.4V

Smart BMS: Equalization / overcharge / over discharge / overcurrent protection short circuit

Battery chargeable times: 500~800

### Charger parameters

Rated input voltage (V): 100-220V AC 50/60Hz 2A

Rated current (A): DC2.1

Charging time (H): 2~3H

certification: yes

Rated output voltage (V): 29.4V/42V

### Remote control parameter

Charging voltage: 5V

Signal transmission method: 2.4G

sage time: 2H

### Volume

Outer box: 96\*33\*20CM

20GP:445PCS/40GP:890PCS/40HP:1060pcs



COLORS



# YX-E-175

FOLDABLE SCOOTERS

YONG XING LIMITED


**STREET RUNNER**

## Specifications

- Footboard: ABS
- Baseplate: Nylon Fiber Metal Iron Tube
- 1pc lead acid battery (6V4Ah 0.6kg)
- Front wheel: 125mm PVC
- Rear Wheel : 100mm PU
- Charging period: 5-7h
- Range: 4-6km
- Speed: 3-5km/h
- Motor Power: 25W
- Charger: 6V, 1A
- Max Load: 25kg
- Product Size: 67\*33.5\*26cm
- Carton Size: 68\*34\*26cm
- N.W/G.W: 4.5kg/5.7kg
- 20GP/208PCS 40HQ/500PCS

 COLORS 






## STREET RUNNER

### Specifications

- Footboard: ABS
- Baseplate: Nylon Fiber
- Metal Iron Tube
- 2pcs Lead acid battery (12V 5Ah 0.75kg)
- Charging period: 5-7h
- Range: 8-10km
- Speed: 6-8km/h
- Motor power: 70W
- Charger: 12V, 1A
- Max Load: 45kg
- PU Front Wheel: 125mm
- PU Rear Wheel: 100mm
- Unfolding size : 70\*34\*80cm
- Folding size: 67.5\*34\*28cm
- Carton Size: 71\*25\*29cm
- Color box size: 70\*12\*28cm
- N.W/G.W: 4.0kg/5.1kg
- 20GP: 1050pcs 40HQ 2500pcs

COLORS   



FOLDABLE SCOOTERS



## YX-ES12

**YONG XING LIMITED**


**STREET RUNNER**

## Specifications

|                                       |                                  |
|---------------------------------------|----------------------------------|
| • Material                            | Aluminum stem + plastic housing  |
| • Battery                             | Rechargeable lithium-ion battery |
| • Battery spec.                       | 18V/2.0Ah (5 cells)              |
| • Motor rated power                   | 40W                              |
| • Supported Maximum weight            | 50W                              |
| • Supported Minimum weight            | 10kg                             |
| • Speed (6-8-10km/h)                  | 6km/h default                    |
| • Range (base on 25kg)                | Max 9.5km (per full charge)      |
| • Max. climbing angle (based on 25kg) | Approx 10°                       |
| • Tire size                           | 3.5"                             |
| • Charging Input                      | 100-240V, 50Hz(universal)        |
| • Output                              | 21V/1A                           |
| • Charging time                       | About 2.5 hours                  |
| • Storage Temp                        | 0°C - 40°C                       |
| • Charging Temp                       | 0°C - 40°C                       |
| • Working Temp                        | -20°C - 0°C                      |
| • Load Qty                            | 20GP/934PCS 40HQ/2121PCS         |

## FEATURES

40W brushless motor  
3.5-inch non-pneumatic tires  
18650 battery x 5 pcs  
Rear foot brake

COLORS ● ●

**YX-EM002**





## STREET RUNNER

### Specifications

|                  |                    |
|------------------|--------------------|
| Motor            | 130W               |
| Deck size        | 649*139mm          |
| Battery Capacity | 2.0Ah/24v          |
| Max Speed        | 4-6KM/H            |
| Max Load         | 40KG               |
| Max Mileage      | 6-8KM              |
| Weight           | 3KG                |
| Charging Time    | 2H                 |
| Tire Size        | 5in.               |
| Brake System     | Rear touch Brake   |
| Drive Mode       | Rear Drive         |
| Ctn size         | 725*160*305mm      |
| Load qty         | 20GP/950 40HQ/2100 |

COLORS   



## YX-E08S



# STREET RUNNER

## Specifications

- Material: Steel + Plastic Footplate
- Deck size: 575mm\*160mm
- Tyre material: 6 Inch PU Tyre
- Running Mode: Engine Power Controlled by right handlebar of Throttle/Brake by left handlebar with Rear clipping brake.
- Battery : 24V 4.5Ah Lead-acid
- Motor: 120W Brush Motor
- Speed: 12km/h
- Max Load: 70kg
- Range: 8-10km
- Charge: 24v 0.4A
- Charging period: 5-8h
- Input voltage of battery: 100v-240v
- Drive model: Belt
- Product size: 76\*50\*91cm
- Carton size: 76.5\*40\*35.5cm
- N.W./G.W.: 10kg/12kg
- 20GP/40HQ: 528/1080pcs

COLORS   

# YX-ES9





## STREET RUNNER

### Specifications

- Foldable Electric Scooter
- Material: Aluminum + Steel
- Deck size: 590\*150mm
- Brake: Rear brake
- Battery: 24V 2.5Ah Lithium Battery
- Charging period: 2.5h
- Range: 8-10km
- Max Speed: 17km/h
- Motor: 24V 150W
- Deck: Plastic
- Wheel: 200mm Inflatable wheel
- Max Load: 100kg
- Unfolding size: 93\*35\*107cm
- Color Box Size: 88\*15\*35cm
- Ctn size: 89\*16\*36cm
- N.W/G.W: 8.5kg/9.7kg
- 20GP/40HQ: 600/1400pcs

COLORS   



## YX-ES10

**YONG XING LIMITED**

**17\*6" Mini E-Skateboard****STREET RUNNER****Specifications**

- 17\*6" 7 PLY Full Canadian Maple
- Dual Controlling System
- 5.5" Magnalium Truck
- 72\*51mm Hi-rebound PU Casting Wheel 75A
- ABEC-5 Chrome Steel Bearing
- 150W Brushless Hub Motor\*1 with Removable PU Outer
- Battery: 24V 2.2Ah Li-ion Battery
- Charger: 90-240V, 50/60Hz, 24V 1A Output
- Charging time: 1h-2h
- Max Speed: 30km/h, Range: 8-10km
- Max Load: 100kg, Max Climbing Limit: 15°
- N.W./G.W.: 3.4kg/4.5kg
- Product Size: 45.5\*24\*11.5cm
- Carton Size: 46.5\*25\*12.5cm
- 20GP/1800PCS 40HQ/4300PCS

COLORS   **YX-ESB01**





**STREET RUNNER**

## Specifications

- 17\*6" 7 PLY Full Canadian Maple
- Dual Controlling System
- 5.5" Magnalium Truck
- 72\*51mm Hi-rebound PU Casting Wheel 75A
- ABEC-5 Chrome Steel Bearing
- 150W Brushless Hub Motor\*1 with Removable PU Outer
- Battery: 24V 2.2Ah Li-ion Battery
- Charger: 100-240V, 50/60Hz, 24V 1A Output
- Charging time: 1h-2h
- Max Speed: 30km/h, Range: 8-10km
- Max Load: 100kg, Max Climbing Limit: 15°
- N.W./G.W.: 3.4kg/4.5kg
- Product Size: 45.5\*24.5\*12cm
- Carton Size: 46.5\*25\*12.5cm
- 206P/1800PCS 40HQ/4300PCS

COLORS   

## 17.5\*10" E-Dodo Board



**YX-ESB02**

**22\*6" E-Skateboard****STREET RUNNER****Specifications**

- 22\*6" Plastic Skateboard
- Dual Controlling System
- 70\*51mm Hi-rebound PU Casting Wheel 80A
- 5.5" Magnalium Truck
- ABEC-7 Chrome Steel Bearing
- Brushless Motor 24V150W\*1 with Removable PU Outer
- Battery: 24V 2.2Ah Li-ion Battery
- Charger: 90-240V 50-60Hz, 24V 1A Output
- Charging time: 1h-2h
- Max Speed:15km/h, Range:10-20km
- Max Load:100kg, Max Climbing Limit:15°
- N.W/G.W: 3.5kg/4.5kg
- Product Size:57.5\*23.5\*11.5cm
- Carton Size:60\*25\*12cm
- 20GP/1400PCS 40HQ/3600PCS

COLORS   **YX-ESB03**





**STREET RUNNER**

## Specifications

- 28\*8" Single Kicktail Flat 2 PLY Canadian Maple + 5 PLY Northeast Chinese Maple
- Dual Controlling System
- 5.5" Magnalium Truck
- 70\*51mm Hi-rebound PU Casting Wheel 80A
- ABEC-7 High Speed Chrome Steel Bearing
- 24V 150W Brushless Motor\*1 with Removable PU Outer
- Battery: 24V 2.2Ah Li-ion Battery
- Charger: 90-240V 50-60Hz, 24V 1A Output
- Charging time: 1h-2h
- Max Speed: 15km/h, Range: 8-12km
- Max Load: 100kg, Max Climbing Limit: 15°
- N.W./G.W.: 3.5kg/4.5kg
- Product Size: 71\*22.3\*14cm
- Carton Size: 76\*24\*15cm
- 20GP/980PCS 40HQ/2420PCS

COLORS ●

## 28\*8" Single Kicktail E-Skateboard



**YX-ESB04**

**28\*8" Single Kicktail Self Controlling E-Skateboard****Specifications**

- 28\*8" Single Kicktail 7 PLY Northeast Chinese Maple
- 5.5" Magnalium Truck
- 72\*51mm Hi-rebound PU Casting Wheel 80A
- ABEC-7 High Speed Chrome Steel Bearing
- 24V 150W Brushless Motor
- Battery: 24V 2.2Ah Li-ion Battery
- Charger: 90-240V 50-60Hz, 24V 2A Output
- Charging time: 1h-2h
- Max Speed: 15km/h, Range: 8-12km
- Max Load: 120kg, Max Climbing Limit: 15°
- N.W./G.W.: 3.5kg/5.1kg
- Product Size: 70\*23\*13cm
- Carton Size: 72\*25\*14cm
- 20GP/1040PCS 40HQ/2600PCS

COLORS   **YX-ESB05**





**STREET RUNNER**

## Specifications

- 8\*7.5" Single Kicktail Plastic Skateboard
- 6" Aluminum Alloy Truck
- 70\*51mm Hi-Rebound PU Casting Wheel 83A
- ABEC-7 High Speed Chrome Steel Bearing
- 24V 100W Brushless Motor\*1
- Battery: 25.2V 2.6Ah Li-ion Battery
- Charger: 100-240VAC 50-60Hz 1.2A Input, 29.4V 2A Output
- Charging time: 1h-2h
- Max Speed: 10km/h, Range:12km
- Max Load: 100kg, Max Climbing Limit:15°
- N.W./G.W.: 3.82kg/4.82kg
- Product Size: 71\*23\*13cm
- Carton Size: 72\*25\*15cm
- 20GP/960PCS 40HQ/2400PCS

COLORS   

## 28\*7.5" E-Skateboard



**YX-ESB06**

**37\*9" E-Skateboard****Specifications**

- 37\*9" 8 PLY Full Canadian Maple
- Dual Controlling System
- 7" Magnalium Truck
- 90\*51mm Hi-rebound PU Casting Wheel 80A
- ABEC-9 Chrome Steel Bearing
- 350W\*2 90mm Hub Motor with Removable PU Outer
- Battery: 36V 4.4Ah Li-ion Battery
- Charger: 100-240V, 50/60Hz, 42V 2A Output
- Charging time: 2h
- Max Speed: 30km/h, Range: 20-25km
- Max Load: 130kg, Max Climbing Limit: 30°
- N.W./G.W.: 7kg/7.5kg
- Product Size: 93\*26\*12cm
- Carton Size: 94\*27\*14cm
- 20GP/720PCS 40HQ/1850PCS

COLORS   





**STREET RUNNER**

## Specifications

- 37\*9" 8 PLY Full Canadian Maple
- Dual Controlling System
- 7" Magnesium Truck
- 90\*51mm Hi-rebound PU Casting Wheel 80A
- ABEC-9 Chrome Steel Bearing
- 400W Brushless Belt Motor
- Battery: 36V 4.4Ah Li-ion Battery
- Charger: 100-240V, 50/60Hz, 42V 2A Output
- Charging time: 2h
- Max Speed: 30km/h, Range: 20-25km
- Max Load: 130kg, Max Climbing Limit: 30°
- N.W./G.W.: 7kg/7.5kg
- Product Size: 93\*24\*15cm
- Carton Size: 93\*18\*28.5cm
- 20GP/40HQ: 580/1400pcs
- With Lighting, Speed Indicator and USB Charging Port

COLORS 

## 37\*9" E-Skateboard



**YX-ESB08**

**37\*9.5" E-Skateboard****Specifications**

- 37\*9.5" 7 PLY Canadian Maple + 2 PLY Bamboo
- Dual Controlling System
- 7" Magnalium Truck
- 83\*52mm Hi-rebound PU Casting Wheel 80A
- ABEC-9 Chrome Steel Bearing
- Brushless Hub Motor 250W\*2 with Removable PU Outer
- Battery: 36V 4.4Ah Li-ion Battery
- Charger: 100-240V, 50/60Hz, 42V 2A Output
- Charging time: 2h
- Max Speed: 35km/h, Range: 25-30km
- Max Load: 130kg, Max Climbing Limit: 30°
- N.W./G.W.: 7kg/8kg
- Product Size: 93\*24\*13cm
- Carton Size: 93\*18\*28.5cm
- 20GP/40HQ: 580/1400pcs
- Bluetooth Speaker, Lighting, Brake Lamp

COLORS **YX-ESB09**






**STREET RUNNER**

## Specifications

- Tyre Type: 4.5inch Tire Hoverboard
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery Specification: 24V 2Ah Chinese battery
- Charge time: 2H-4H
- Max Speed: 8km/h
- Motor power: 200Wx2
- Climbing Degrees : 15°
- Load: 80kg
- Color: Black/White/Red/Blue/Grey
- N.W./G.W.: 6.3kg/7.8kg
- Product size : 544\*168\*149mm
- Packing Size: 625\*250\*240mm
- 20GP/40HQ: 720/1760PCS

COLORS ● ○ ●

## 4.5" Hoverboard



**YX-EHB01**

**Specifications**

- Tyre Type: 6.5 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 36V 2.4Ah Lithium Battery
- Charging Time: 2.5h-3h
- Charging Requirement: AC100V - 240V, 50-60HZ
- Motor Power: 250Wx2 Brushless
- Climbing Degrees: 15°
- Max Load: 120kg
- Max Speed: 10km/h
- Range: 8-10km
- N.W./G.W.: 8.5kg/9.5kg
- Product Size: 59\*19\*20cm
- Carton Size: 64.5\*25\*25.5cm
- 20GP/40HQ:660/1640PCS

**YX-EHB02**

COLORS

**6.5" Hoverboard****STREET RUNNER****Specifications**

- Tyre Type: 6.5 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 36V 4.0Ah Lithium Battery
- Charging Time: 2.5h-3h
- Power requirement: 90V-240V AC/50-60Hz 1.5A
- Motor Power: 2\*250W Brushless Motor
- Max Climbing Limit: 15°
- Max Load: 120kg
- Max Speed: 15km/h
- Range: 12-15km
- N.W./G.W.: 10.7kg/11.2kg
- Product Size: 57\*18.5\*18cm
- Carton Size: 64.5\*26\*26cm
- Ingress Protection: IP54
- 20GP/40HQ:630/1540PCS



COLORS

**YX-EHB03**





**STREET RUNNER**

## Specifications

- Tyre Type: 6.5 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 36V 2.4Ah Lithium Battery
- Charging Time: 2.5h-3h
- Charging Requirement: AC100V - 240V, 50-60HZ
- Motor Power: 250Wx2 Brushless
- Climbing Degrees: 15°
- Max Load: 120kg
- Max Speed: 10km/h
- Range: 8-10km
- N.W./G.W.: 8.5kg/9.5kg
- Product Size: 59\*19\*20cm
- Carton Size: 64.5\*25\*25.5cm
- 20GP/40HQ:660/1640PCS

COLORS   

## 6.5" Hoverboard



**YX-EHB04**

**6.5" Hoverboard****Specifications**

- Patent hoverboard design
- Tyre Type: 6.5 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 36V 2.0Ah Lithium Battery
- Motor Power: 250Wx2 Brushless
- Range: 8-10km
- Maximum speed: 10-12km/h
- Max load: 100kgs
- Climbing Degrees: 15°
- Charging time: 2-3hours
- Dimensions: 61\*19\*19cm
- G.W/N.W: 10/8.4kgs
- Carton size: 66\*24.5\*23.5cm
- 20GP/40HQ: 737/1790PCS

COLORS ●

**YX-E161**





**STREET RUNNER**

## 8" Hoverboard

### Specifications

- Tyre Type: 8 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 36V 2.4Ah Lithium Battery
- Charging Time: 2.5h-3h
- Charging Requirement: AC100V - 240V, 50-60HZ
- Motor Power: 250Wx2 Brushless
- Climbing Degrees: 20°-30°
- Max Load: 120kg
- Max Speed: 10km/h
- Range: 10-12km
- N.W./G.W.: 9kg/10kg
- Product Size: 59\*19\*20cm
- Carton Size: 64.5\*25\*25.5cm
- 20GP/40HQ:660/1640PCS

COLORS   



**YX-EHB06**



**8" Hoverboard****STREET RUNNER****Specifications**

- Tyre Type: 8 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 36V 4.0Ah Lithium Battery
- Charging Time: 2.5h-3h
- Charging Requirement: 90V-240V AC/50-60Hz 1.5A
- Motor Power: 2\*250W 18A Brushless Hub Motor
- Max Climbing Limit: 15°
- Max Load: 120kg
- Max Speed: 15km/h
- Range: 12-15km
- N.W./G.W.: 11.3kg/12.1kg
- Product Size: 59\*23\*21cm
- Carton Size: 67\*30\*27cm
- 20GP/40HQ:510/1250PCS

COLORS **YX-EHB07**



**STREET RUNNER**

## Specifications

- Tyre Type: 8.5 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 36V 4.0Ah Lithium Battery
- Charging Time: 2.5h-3h
- Charging Requirement: 90V-240V AC/50-60Hz 1.5A
- Motor Power: 2\*350W Brushless Hub Motor
- Max Climbing Limit: 15°
- Max Load: 120kg
- Max Speed: 15km/h
- Range: 15km
- N.W./G.W.: 13.3kg/14.2kg
- Product Size: 70\*21\*23cm
- Carton Size: 76\*27\*32cm
- 20GP/40HQ:510/1250PCS

COLORS   

## 8.5" Hoverboard



**YX-EHB08**

## 10" Hoverboard



### Specifications

- Tyre Type: 10 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 36V 4.0Ah Lithium Battery
- Charging Time: 2.5h-3h
- Charging Requirement: AC100V - 240V, 50-60HZ
- Motor Power: 350Wx2 Brushless Hub Motor
- Climbing Degrees: 20°-30°
- Max Load: 120kg
- Max Speed: 15km/h
- Range: 15km
- N.W./G.W.: 11.7kg/12.5kg
- Product Size: 63\*28\*26cm
- Carton Size: 71.5\*35\*33.5cm
- 20GP/40HQ:350/840PCS

COLORS   

**YX-EHB09**





**STREET RUNNER**

## Specifications

- Tyre Type: 10.5 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 36V 3.6Ah Lithium Battery
- Charging Time: 2.5h-3h
- Charging Requirement: AC100V - 240V, 50-60HZ
- Motor Power: 250Wx2 Brushless
- Climbing Degrees: 15°
- Max Load: 120kg
- Max Speed: 12km/h
- Range: 12-15km
- N.W./G.W.: 9.2kg/11.7kg
- Product Size: 65\*28\*26cm
- Carton Size: 71.5\*34.5\*33.5cm
- 206P/40HQ:330/810PCS

COLORS



## 10" Hoverboard



**YX-EHB10**

**YONG XING LIMITED**

## 10" Hoverboard with Handle

**STREET RUNNER**

### Specifications

- Tyre Type: 10.5 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 36V 3.6Ah Lithium Battery
- Charging Time: 2.5h-3h
- Charging Requirement: AC100V - 240V, 50-60HZ
- Motor Power: 250Wx2 Brushless
- Climbing Degrees: 15°
- Max Load: 120kg
- Max Speed: 12km/h
- Range: 12-15km
- N.W./G.W.: 13.2kg/15.5kg
- Product Size: 59\*29\*(70-115)cm
- Carton Size: 65.5\*32\*37cm
- 206P/40HQ:350/840PCS

COLORS  **YX-EHB11**



**STREET RUNNER**

## Specifications

- Tyre Type: 10.5 inch Solid Tyre
- With LED lights with BT
- Material: Aluminium Alloy+ABS
- Battery: 54V 4.4Ah Lithium Battery
- Charging Time: 2.5h-3h
- Charging Requirement: AC100V - 240V, 50-60HZ
- Motor Power: 350Wx2 Brushless
- Climbing Degrees: 20°-30°
- Max Load: 120kg
- Max Speed: 15km/h
- Range: 15-22km
- N.W./G.W.: 13.2kg/15.2kg
- Product Size: 57\*26\*60cm
- Carton Size: 60.5\*28.5\*39.5cm
- 20GP/40HQ:400/980PCS

## 10" Hoverboard with Handle



COLORS ○ ●

**YX-EHB12**



## Electric Hover Shoes



### Specifications

- Electric Drift Skate, Roller Skate with LED Lights,
- Hovershoes with Aluminium surface
- Max Range: 10km
- Max Speed: 10km/h
- Maximum gradient limit: 10 degrees
- 2x250W Brushless Converter Motors
- Charging Time: 2-3H
- Charge Voltage: 110V--220V
- Motor Size: 90mm
- Tyre size: 3.5 inches
- Max Load: 100kg
- Battery : 24V 2.0Ah x 2
- Carton Size: 32.5\*30\*20cm
- N.W./G.W: 6.2kg/7.2kg
- 20GP/40HQ:1167/2834PCS

COLORS ●

**YX-EDS1**



## STREET RUNNER

### Specifications

- Model: Bluetooth helmet, 1pc ABS shell
- Material: USA imported high density EPS
- Feature: Listen to music, Answer calls
- Play Mode: 2 kinds/TF card/bluetooth
- Bluetooth distance: 10 meters
- Acoustics: stereo 5X1W
- Battery capacity: 3.7V/400mAh
- Charge Jack: MICRO USB
- Lasting time: 6 hours
- Recharged time: 1.5 hours
- Chip size: 4\*1.5\*3cm
- Head circumference: L(54-61CM)
- Accessories: Helmet, Instruction book, USB cable
- Package: PE Bag then Carton
- Carton Size: 66\*24.5\*56cm, 10pcs/ctn
- 20GP/40GP/40HQ: 3200/6400/8000pcs

COLORS ● ● ●

### Helmet with Music

Bluetooth™



## YX-EH01

YONG XING LIMITED

 Bluetooth™**STREET RUNNER**

## Specifications

- Model: Bluetooth helmet, 1pc PC shell
- Material: USA imported high density EPS
- Feature: Listen to music, Answer calls
- Play Mode: 2 kinds/TF card/bluetooth
- Bluetooth distance: 10 meters
- Acoustics: stereo 5X1W
- Battery capacity: 3.7V/400mAh
- Charge Jack: MICRO USB
- Lasting time: 6 hours
- Recharged time: 1.5 hours
- Chip size: 4\*1.5\*3cm
- Head circumference: L(54-61cm)
- Accessories: Helmet, Instruction book, USB cable
- Package: PE Bag then Carton
- Carton Size: 66\*24.5\*56cm, 10pcs/ctn  
206P/40GP/40HQ: 3200/6400/8000pcs

COLORS   **YX-EH02**





## STREET RUNNER

### Specifications

- Model: Bluetooth Helmet, 2pcs PC shell
- Material: USA imported high density EPS
- Feature: Listen to music, Answer calls
- Play Mode: 2 kinds/TF card/bluetooth
- Bluetooth distance: 10 meters
- Acoustics: stereo 5X1W
- Battery capacity: 3.7V/400mAh
- Charge Jack: MICRO USB
- Lasting time: 6 hours
- Recharged time: 1.5 hours
- Chip size: 3\*2\*1cm
- Head circumference: L (54-61cm)
- Accessories: Helmet, Instruction book, USB cable
- Package: PE Bag then Carton
- Carton Size: 66\*24.5\*56cm, 10pcs/ctn
- 206P/406P/40HQ: 3200/6400/8000pcs

COLORS  

### Helmet with Music



## YX-EH03

**YONG XING LIMITED**

 Bluetooth™

## Helmet with Lights



### Specifications

- Model: Bluetooth Helmet, 2pcs PC shell
- Material: USA imported high density EPS
- Feature: Listen to music, Answer calls
- Play Mode: 2 kinds/TF card/bluetooth
- Bluetooth distance: 10 meters
- Acoustics: stereo 5X1W
- Battery capacity: 3.7V/400mAh
- Charge Jack: MICRO USB
- Lasting time: 6 hours
- Recharged time: 1.5 hours
- Chip size: 3\*2\*1cm
- Head circumference: L (54-61cm)
- Accessories: Helmet, Instruction book, USB cable
- Package: PE Bag then Carton
- Carton Size: 66\*24.5\*56cm, 10pcs/ctn
- 20GP/40GP/40HQ: 3200/6400/8000pcs

COLORS   **YX-EH04**





**STREET RUNNER**

## Specifications

- Model: Light Helmet, 2pcs PC shell
- Material: USA imported high density EPS
- Feature: Colorful LED lights
- Light pattern: 8 kinds flash modes
- Battery capacity: 3.7V/270mAh
- Charge Jack: MICRO USB
- Lasting time: 6 hours
- Recharged time: 1.5 hours
- Chip size: 2.5\*2.5\*0.2cm
- Head circumference: M (54-58cm)
- Accessories: Helmet, Instruction book, USB cable
- Package: Headcard + Colorbox
- Carton Size: 66\*47\*57cm, 16pcs/ctn
- 20GP/40GP/40HQ: 2500/5200/6100pcs



COLORS ●

## Helmet with Lights



**YX-EH05**

**YONG XING LIMITED**



## Helmet with Lights



### Specifications

- Model: Light Helmet, 2pcs PC shell
- Material: USA imported high density EPS
- Feature: Colorful LED lights
- Light pattern: 8 kinds flash modes
- Battery capacity: 3.7V/270mAh
- Charge Jack: MICRO USB
- Lasting time: 6 hours
- Recharged time: 1.5 hours
- Chip size: 2.5\*2.5\*0.2cm
- Head circumference: L (54-61cm)
- Accessories: Helmet, Instruction book, USB cable
- Package: Headcard + Colorbox
- Carton Size: 66\*47\*57cm, 16pcs/ctn
- 206P/406P/40HQ: 2500/5200/6100pcs

COLORS   

# YX-EH06



**STREET RUNNER**

## Specifications

- Aluminum Magnesium Alloy Chassis material
- Brushless Motor
- ABEC-5 Carbon Steel
- Weight: 6.2KG
- Samsung 21700 lithium Battery
- EBS Electronic brake
- GPS Location
- Rated motor Power: 100W
- Silica gel handle grip
- PU/Polyester/Aluminium frame edge
- PU wheel
- USB Charging Line 5V
- Maximum speed: 15 km/h
- Battery capacity: 4.4AH
- Charging time: 2.5H



COLORS ● ●



built in pockets  
to put more things



Rechargeable battery



More space for things



Adapter Included

*Electric Rideable Luggage*



Can carry inside the plane



Can use it in the Airport



**TRAVEL CONVENIENT**



**Stylye for  
FOR KIDS!**

**YX-E-176**



## Foldable Electric Suitcase Scooter

Designed for travel, business and all occasions where a suitcase or luggage is used, it is especially suitable for schools and airports, making your travel more convenient.



Battery Pack Included



TRAVEL CONVENIENT



New  
With Double  
Password Lock



**STREET RUNNER**

### Specifications

- Aluminum Magnesium Alloy Chassis material
- Brushless Motor
- ABEC-5 Carbon Steel
- Weight: 6.2KG
- Samsung 21700 lithium Battery
- EBS Electronic brake
- GPS Location
- Rated motor Power: 100W
- Silica gel handle grip
- PU/polyester/aluminium frame edge
- PU wheel
- USB Charging Line 5V
- Maximum speed: 15 km/h
- Battery capacity: 4.4AH
- Charging time: 2.5H

COLORS  

**YX-E-SS02**





## STREET RUNNER

### Specifications

- Motor: XiongDa 36V 250W
- Battery: 36V 7.8AH Chinese Lithium battery
- Max speed: 25 km/h
- Range: 50-60 km
- Charging time: 3-4 h
- Frame: Aluminum alloy, Front Suspension Fork include
- Display: LCD
- Derailler: Shimano rear 7 speeds
- Brake (F/R): Disc brake
- Tire (F/R): 20"3.0 rubber with fenders
- Weight: 24.3KG
- Mass Weight: 26.8KG
- Open size: 166\*58.8\*136+117cm,
- Fold size: 104.5\*70\*53cm
- Saddle size: 78\*106cm
- Ctn size 170\*26\*91cm

COLORS   

## Electric Bicycle

Folding 20 Inch 4.0 Fat Tyre Electric Bicycle



## YX-GX22

## Electric Bicycle

**STREET RUNNER**

### Specifications

- Battery: 36V 4.0Ah Chinese battery
- Motor power: 240W
- Charging time: 3-4h
- Range: Pure electric power 20-25km/h
- Assistance power: 35-50km/h
- Max Speed: 25km
- Assistance power: 23km/h
- Range of adjustable saddle: 25-35cm
- Frame and front fork materials: Iron
- Saddle material: PVC leather + PU foaming
- Tyre type: 14" inflatable tyre
- Equipped: Headlight + LED Screen + Single Gearbox + Battery Manage System
- Front Disk brake + Back drum brake
- Max Load: 100kg
- N.W/G.W: 13.8kg/15.2kg
- Fold size: 67\*65\*38cm
- Unfold size: 134\*106\*56cm
- Carton size: 72\*70\*45cm
- 20GP/40HQ: 110/290pcs

COLORS ●

**YX-EB02**





**STREET RUNNER**

## Electric Bicycle

Folding 20 Inch 3.0 Fat Tyre Electric Bicycle

### Specifications

- Motor: XiongDa 36V 250W
- Battery: 48V 6.4AH LG Lithium battery
- Max speed : 25 km/h
- Range: 50-60 km
- Charging time: 3-4 h
- Frame: aluminum alloy
- Display: LCD
- Derailleur: Shimano rear 7 speeds
- Brake (F/R): Disc brake
- Tire (F/R) 20\*3.0 rubber with fenders
- Weight: 24.3KG
- Mass Weight: 26.8KG
- Open size: 168\*87\*99cm
- Fold size: 94\*78\*48cm
- Ctn size 170\*26\*91cm

COLORS ●



**YX-GX12**

## Electric Bicycle

### 16 Inch Folding Electric Bicycle



**STREET RUNNER**

### Specifications

- Motor: XiongDa 36V 250 W
- Battery: 36V 5.2AH Chinese Lithium battery
- Max speed: 25 km/h
- Range: 30-35 km
- Charging time: 3-4h
- Frame: Aluminum alloy suspension Fork
- Display: LCD
- Dérailleur: F:1 speed
- Brake (F/R): Disc / Disc
- Tire (F/R): 16" 2.125 with fenders
- Weight: 18 KG / 20.3KG
- Max load: 120KGS
- Ctn Size 135" 20" 67.5cm

COLORS   

**YX-GX01**





## Electric Bicycle

### STREET RUNNER

### Specifications

Charger: AC 100V-240V Smart Charge

Charging time: 4-6 Hours

Throttle: Optional

#### Mechanical Components

Frame: Aluminium-Alloy

Tyres: 28 Inch\* 1 - 5/8

Rim: Alloy Double Wall

Chain : KMC

Chain Wheel: Alloy

Rear Rack: Yes

Saddle: Taiwan Velo

#### Packing Information

Net Weight: 25KG

Gross Weight: 30KG

Carton Size: 1480x290x950 75% Packing

Container Load: 70 UNITS/20FT 160 UNITS/40FT

Motor/Brushless: 250W

Lithium Battery: 36V 10AH

Sensor Type: Speed Sensor

Display: LCD Five Mode Adjust Speedmeter

With 6 KM/H Push

Climbing Capacity: 12°

Front Fork: Taiwan SR SUNTOUR Suspension Fork

Brake: FR V-Brake/RR V-Brake

Speed Gears: Shimano 7 Speed

Rear Derailleur: Shimano 7 Speed

Handlebar: Alloy

Stem: Alloy

#### Performance

Max Speed:  $\leq 25\text{KM}$

Max Load: 150KG

Distance Per Charge:  $\geq 45\text{KM}$



COLORS ●

## YX-E171

## Electric Bicycle

**STREET RUNNER**

### Specifications

**Charger:** AC 100V-240V Smart Charge

**Charging time:** 4-6 Hours

**Throttle:** Optional

**Mechanical Components**

**Frame:** Aluminum-Alloy

**Tyres:** 26 Inch\*1.75

**Rim:** Alloy Double Wall

**Chain:** KMC

**Chain Wheel:** Alloy

**Rear Rack:** Yes

**Saddle:** Taiwan Velo

**Packing Information**

**Net Weight:** 25KG

**Gross Weight:** 30KG

**Carton Size:** 1480x290x900 75% Packing

**Container Load:** 80 UNITS/20FT 180 UNITS/40FT

**Motor/Brushless:** 250W

**Lithium Battery:** 36V 10AH

**Sensor Type:** Speed Sensor

**Display:** LED Three Mode Adjust Speedmeter

**With** 6 KM/H Push

**Climbing Capacity:** 12°

**Front Fork:** Taiwan ZOOM Suspension Fork

**Brake:** FR V-Brake/RR V-Brake

**Speed Gears:** Shimano 6 Speed

**Rear Derailleur:** Shimano 6 Speed

**Handlebar:** Alloy

**Stem:** Alloy

**Performance**

**Max Speed:** ≤ 25KM

**Max Load:** 150KG

**Distance Per Charge:** ≥ 45KM

COLORS 

**YX-E172**





## STREET RUNNER

### Specifications

Charger: AC 100V-240V Smart Charge

Charging time: 2-5 Hours

Throttle: Optional

#### Mechanical Components

Frame: Aluminium-Alloy

Tyres: 20 Inch

Rim: Alloy

Chain: KMC

Chain Wheel: Alloy

Rear Rack: Yes

Saddle: JST

#### Packing Information

Net Weight: 18.5KG

Carton Size: 900 \* 470 \* 760

Container Load: 110 UNITS/20FT 230 UNITS/40FT

Motor/Brushless: 250W

Lithium Battery: 36V 7.8AH

Sensor Type: Speed Sensor

Display: LED

Foldable: Yes

Climbing Capacity: 12°

Brake: FR V-Brake/RR V-Brake

Speed Gears: Shimano 6 Speed

Rear Derailleur: Shimano 6 Speed

Handlebar: Alloy

Stem: Alloy

#### Performance

Max Speed:  $\leq 30\text{KM}$

Max Load: 100KG

Distance Per Charge:  $\geq 40\text{KM}$



COLORS ●

## YX-E173

## Electric Bicycle



### STREET RUNNER

### Specifications

**Charger:** AC 100V-240V Smart Charge

**Charging time:** 4-6 Hours

**Throttle:** Optional

**Mechanical Components**

**Frame:** Aluminium-Alloy

**Tyres:** 700C

**Rim:** Alloy Double Wall

**Chain:** KMC

**Chain Wheel:** Alloy

**Rear Rack:** No

**Saddle:** Taiwan Velo

**Packing Information**

**Net Weight:** 26KG

**Gross Weight:** 31KG

**Carton Size:** 1470x270x1070 75% Packing

**Container Load:** 70 UNITS/20FT 160 UNITS/40FT

**Motor/Brushless:** 250W

**Lithium Battery:** 36V 10AH

**Sensor Type:** Speed Sensor

**Display:** LCD Five Mode Adjust Speedmeter

**With 6 KM/H Push**

**Climbing Capacity:** 12°

**Front Fork:** Taiwan SR SUNTOUR Suspension Fork

**Brake:** FR Disc Brake/RR Disc Brake

**Speed Gears:** Shimano 24 Speed

**Rear Derailleur:** F:Shimano 3 Speed/R:Shimano 8 Speed

**Handlebar:** Alloy

**Stem:** Alloy

**Performance**

**Max Speed:** ≤ 25KM

**Max Load:** 120KG

**Distance Per Charge:** ≥ 45KM

COLORS ●

## YX-E174





***STREET RUNNER***

**E-PRODUCTS**

E-SCOOTER  
E-SKATEBOARD  
E-HOVERBOARD  
E-SHOES  
E-HELMET  
E-SUITCASE  
E-BIKE